

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	(data near5 field) near10 (search\$3 quer\$4) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S2	5	synonym\$3 near10 levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S3	6	synonym\$3 same levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S4	57	synonym\$3 and levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S5	1	(data near5 field) near10 (generat\$3) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S6	40	((input\$3 search\$3 quer\$4) near5 field) near10 synonym \$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S7	9	synonym\$3 near5 (last adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S8	826	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S9	373	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S10	52	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S11	3	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S12	17	synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S13	2846	synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S14	61	(search\$3 quer\$4) near5 synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S15	61	(search\$3 quer\$4) near5 synonym\$3 and ("colour" near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S16	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S17	2	10/484333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S18	1731886	(HIERARCHICAL PRESEARCH- TYPE DOCUMENT).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S19	781	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S20	78	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S21	21	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) same (name street customer id identification) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S22	42	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) and ((input\$3 quer\$3 search\$3) near5 field) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S23	2	((text input\$3) near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S24	17	((text input\$3 data near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S25	1	((last first company) near5 name) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S26	12	((text input\$3 data search\$3 quer\$4) near5 field) and (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S27	24	((geograph\$5 street first last) near5 name) and (synonym \$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S28	2	"at least" near5 synonym\$3 near5 candidate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S29	10	"at least" near5 ("a" "one" "an") near5 synonym\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S30	369	synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S31	18	(least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S32	33	("20030037041" "20030217052" "20030217052" "20050015366" "20050015366" "20050080614" "20050080614" "20050080776" "20050080776" "4839853" "5237503" "5317507" "5331556" "5541836" "5619709" "5675819" "5694592" "5873056" "5926811" "6081774" "6088692" "6101492"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

		"6161084" "6256629" "6256629" "6269368" "6269368" "6405190" "6405190" "6460029" "6460029" "6460034" "6460034" "6480843" "6480843" "6510406" "6510406" "6523026" "6523026" "6647383" "6647383" "6675159" "6675159" "6684205" "6684205" "6766316" "6799316" "6865575" "6865575").PN.				
S33	65	(search\$3 find\$3 determin\$3 look\$3 quer\$4) with (candidate near5 synonym\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S34	1	"20040024760"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S35	65	synonym\$3 near5 (potential candidate) same (probabili\$4 algorithm scor\$3 degree\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S36	2	synonym\$3 near5 (potential candidate nominat\$3) with criteri\$2 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S37	2	evaluat\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S38	5	rank\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S39	39	automatic\$4 near5 select\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S40	5	(record) same (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S41	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S42	55	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S43	1	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 same \$3spell\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S44	55	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S45	209	least with one with synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S46	162	least near5 one near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S47	330	least near5 one near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S48	338	least near5 (a an one) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S49	48	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S50	2	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S51	2	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat \$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S52	91	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S53	119	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S54	2	least near5 (one a an) near5 (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S55	0	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") and 707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S56	8	(generat\$3 determin\$3 extract\$3 creat\$3) near5 (least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S57	2	("4773039" "5742834").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S58	53	(levenshtein near5 distance) not speech and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S59	126	(eras\$3 discard\$3 eliminat\$3) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S60	20	discard\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S61	6	(realtime real-time) near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S62	15	updat\$3 near5 synonym near5 (database data-base repository table list set) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S63	228	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S64	159	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S65	15	updat\$3 near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S66	166	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S67	3	dynamic\$4 same (insert\$3 add \$3 addition append\$3 combin \$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S68	178	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3 modif\$5 put\$4) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S69	283963	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S70	124	S68 and S69	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S71	2	10/326492	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S72	180	synonym\$3 near5 (candidate potential) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S73	38	S72 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S74	3	updated near5 synonym\$3 and synonym\$3 same (writting spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S75	8	updated near5 synonym\$3 and (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S76	8	updat\$3 near5 synonym\$3 and synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S77	423	synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S78	5	input near5 (search\$3 quer \$4) same synonym\$3 with (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S79	1	10/559386	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S80	8	(data near5 field) near10 (search\$3 quer\$4) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S81	5	synonym\$3 near10 levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S82	6	synonym\$3 same levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S83	57	synonym\$3 and levenshtein	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S84	1	(data near5 field) near10 (generat\$3) near10 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S85	40	((input\$3 search\$3 quer\$4) near5 field) near10 synonym \$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S86	9	synonym\$3 near5 (last adj name)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S87	826	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S88	373	synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S89	52	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 (spell\$3 writ\$3 pronunciat\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S90	3	(search\$3 find\$3 quer\$4) near10 synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S91	17	synonym\$3 near10 spell\$3 near5 (vari\$3 variation) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S92	2846	synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S93	61	(search\$3 quer\$4) near5 synonym\$3 and (colour near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S94	61	(search\$3 quer\$4) near5 synonym\$3 and ("colour" near5 color) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34

S95	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S96	2	10/484333	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S97	1731886	(HIERARCHICAL PRESEARCH-TYPE DOCUMENT).ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S98	781	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:34
S99	78	synonym\$3 with (spell\$3 notat \$3) with (differen\$3 vari\$3 variation\$1) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S100	21	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) same (name street customer id identification) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S101	42	synonym\$3 with (spell\$3 notat\$3) with (differen\$3 vari\$3 variation\$1) and ((input\$3 quer\$3 search\$3) near5 field) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S102	2	((text input\$3) near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S103	17	((text input\$3 data) near5 field) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606"@pd<"20030606"@rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S104	1	((last first company) near5 name) same (synonym\$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S105	12	((text input\$3 data search\$3 quer\$4) near5 field) and (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S106	24	((geograph\$5 street first last) near5 name) and (synonym \$3 with \$3spell\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S107	2	"at least" near5 synonym\$3 near5 candidate	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S108	10	"at least" near5 ("a" "one" "an") near5 synonym\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S109	369	synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S110	18	(least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S111	33	("20030037041" "20030217052" "20030217052" "20050015366" "20050015366" "20050080614" "20050080614" "20050080776" "20050080776" "4839853" "5237503" "5317507" "5331556" "5541836" "5619709" "5675819" "5694592" "5873056" "5926811" "6081774" "6088692" "6101492" "6161084" "6256629" "6256629" "6269368" "6269368" "6405190" "6405190" "6460029" "6460029" "6460034" "6460034" "6480843"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

		"6480843" "6510406" "6510406" "6523026" "6523026" "6647383" "6647383" "6675159" "6675159" "6684205" "6684205" "6766316" "6799316" "6865575" "6865575").PN.				
S112	65	(search\$3 find\$3 determin\$3 look\$3 quer\$4) with (candidate near5 synonym\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S113	1	"20040024760"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S114	65	synonym\$3 near5 (potential candidate) same (probabili\$4 algorithm scor\$3 degree\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S115	2	synonym\$3 near5 (potential candidate nominat\$3) with criteri\$2 and (@ad< "20030606" @pd< "20030606" @rlad< "20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S116	2	evaluat\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S117	5	rank\$3 with (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S118	39	automatic\$4 near5 select\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S119	5	(record) same (synonym\$3 near5 (potential candidate nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S120	3	("5210868" "5551049" "5649221").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S121	55	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S122	1	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 same \$3spell\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S123	55	((street cit\$3 countr\$3 county counties) near5 name) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S124	209	least with one with synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S125	162	least near5 one near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S126	330	least near5 one near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S127	338	least near5 (a an one) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S128	48	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S129	2	(search\$3 quer\$4) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat\$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S130	2	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3 near5 (candidate potential nominat \$3)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S131	91	(list\$3 generat\$3 determin\$3 extract\$3 produc\$3 creat\$3) with (least near5 (a an one) near5 synonym\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S132	119	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S133	2	least near5 (one a an) near5 (synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S134	0	(synonym\$3 near5 candidate) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606") and 707/5.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S135	8	(generat\$3 determin\$3 extract\$3 creat\$3) near5 (least) near5 synonym\$3 near5 (potential candidate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S136	2	("4773039" "5742834").pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S137	53	(levenshtein near5 distance) not speech and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S138	126	(eras\$3 discard\$3 eliminat\$3) near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S139	20	discard\$3 near5 synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S140	6	(realtime real-time) near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S141	15	updat\$3 near5 synonym near5 (database data-base repository table list set) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S142	228	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S143	159	updat\$3 near5 (synonym\$3 analog\$3) near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S144	15	updat\$3 near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S145	166	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S146	3	dynamic\$4 same (insert\$3 add \$3 addition append\$3 combin \$5 attach\$3 updat\$3) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S147	178	(insert\$3 add\$3 addition append\$3 combin\$5 attach\$3 updat\$3 modif\$5 put\$4) near5 synonym\$3 near5 (list set table database data-base) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S148	283963	("707" "705" "715" "709"). clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S149	124	S147 and S148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S150	2	10/326492	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S151	180	synonym\$3 near5 (candidate potential) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S152	38	S151 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S153	3	updated near5 synonym\$3 and synonym\$3 same (writting spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S154	8	updated near5 synonym\$3 and (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S155	8	updat\$3 near5 synonym\$3 and synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S156	423	synonym\$3 same (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S157	5	input near5 (search\$3 quer \$4) same synonym\$3 with (writing spelling) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S158	1	10/559386	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S159	1	"6,070,160".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S160	7	(tietoenator adj oyi).asn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S161	3	(surakka near2 timo).inv.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S162	18	(order near5 character) same synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S163	3	levenshtein and synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S164	49	near-synonym\$3 and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S165	27	near-synonym\$3 and (rank\$3 scor\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S166	15	synonym\$3 near5 (rank\$3 scor\$3) same threshold and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S167	7	(automatic\$4 dynamic\$4) near5 updat\$3 near5 synonym	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S168	454	spell\$3 with synonym	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S169	40	spell\$3 same synonym same (threshold scor\$3 rank\$3) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S170	14	(spell\$3 writ\$4) near5 variation same synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S171	57	learn\$3 near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S172	3	(automatic\$4 dynamic\$4) near5 learn\$3 near5 synonym and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S173	29	S171 and "707".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35

S174	28	S171 not S173	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S175	1	(refresh\$3 updat\$3) near5 synonym\$3 same before near5 (search\$3 quer\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S176	65	synonym\$3 same before near5 (search\$3 quer\$4) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S177	1	"20040024760"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:35
S178	21591	707/3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:47

S179	83	S13 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S180	37	S30 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S181	53	S45 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S182	45	S46 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S183	45	S125 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48

S184	48	S127 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S185	15	S132 and S178	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/18 15:48
S186	37	(includ\$3 inclusive) near5 (misspelt misspell\$3) near5 (dictionary list database (data adj base)) and (@ad<"20030606" @pd<"20030606" @rlad<"20030606")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/19 09:20
S187	22	S186 and synonym\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/19 10:03
S188	6	S186 and (auto automatic\$4 dynamic\$5) near5 (add\$3 append\$3 insert\$3) near5 (list dictionary database (data adj base))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2010/05/19 10:05

5/ 19/ 2010 2:55:39 PM

C:\ Documents and Settings\ shoang\ My Documents\ EAST\ Workspaces\ son_10_559_386_case.

wsp